



Product Specification and Technical Data

PRODUCT: BG Quick Clean for Power Steering

PART NO.: 108

TEST DATA:	Test	ASTM Test Method	Typical Test Results
	API Gravity @ 15.6°C (60°F)	D 287	26.0
	Specific Gravity @ 15.6°C (60°F).	D 1298	0.8984
	Density,		
	U.S. lbs./gal. (kg/L) @ 15.6°C (60°F)	D 1250	7.49
	Flash Point, PMCC	D 93	84°C (184°F)
	Viscosity, cSt @ 40°C (104°F).	D 445.	19.52
	Color	D 1500	1.0
	Color	Visual.	Light Amber

PROBLEM: Vehicle power steering systems are subjected to high fluid pressures and temperatures which rapidly break down fluid lubrication capabilities over time. Under normal operation, continual “wear and tear” within the power steering system produces abrasive wear metals that causes seal and valve damage. More often than not, very expensive component failure occurs before the fluid in the system is changed.

SOLUTION: BG Quick Clean for Power Steering will safely and effectively remove accumulated contaminants from the entire power steering/rack and pinion system. BG Quick Clean for Power Steering is compatible to system components, and is formulated for use with any BG Power Steering Equipment.

USAGE: Follow instructions provided with the BG Power Steering Service equipment. This product and the tools are designed for use by a trained automotive technician.

BG Products, Inc. accepts no liability for excessive use or misuse of this product.